


# S

## Laboratory Services Offered by the IRSST

■ Price list



IRSST  
505, de Maisonneuve Blvd West  
Montréal, Québec  
H3A 3C2

Phone: 514 288-1551 ext. 306 or 315  
Fax: 514 288-9632  
Update: August 2018



## Laboratory Services Offered by the IRSST

*Customer Service –*  
Laboratory Division

IRSST  
505 de Maisonneuve Blvd. West  
Montréal, QC  
H3A 3C2

Telephone: (514) 288-1551

Fax: (514) 288-9632

[irsst.qc.ca](http://irsst.qc.ca)

August 2018

# Table of contents

- INTRODUCTION.....1
- POLICY ON THE USE OF THE LABORATORY SERVICES OFFERED BY THE IRSST.....2
  - Cost.....2
  - Terms of payment.....2
  - Sampling equipment .....2
  - Samples receipt .....2
  - Calibration certificates.....3
  - Purchase order .....3
  - Subcontracted analysis.....3
  - Rapid turnaround.....3
  - Legal samples.....4
  - Accreditation.....5
  - Instrument rental policy.....6
- COSTS OF ANALYTICAL SERVICES .....7
  - Environmental analyses .....7
  - Toxicological analyses .....28
  - Microbiological analyses .....29
- PACKAGES .....30
- LIST OF WIPE SAMPLE KITS AVAILABLE TO ORDER.....34
  - Acoustics .....35
  - Lighting.....37
  - Electromagnetism .....38

Chemical measurements .....	40
Thermohygroetry.....	42
Ventilation .....	44
Pumps .....	45
INSTRUMENT RENTAL COSTS.....	46
APPENDIX I.....	51
RESOURCES .....	53

## INTRODUCTION

Our laboratory services are offered to the occupational health network and to private enterprise.

Our services include environmental, toxicological and microbiological analyses, sampling equipment, and instrument rental and calibration.

For environmental and microbiological analyses, we recommend that you consult our Sampling Guide for Air Contaminants in the Workplace on the IRSST's Web site. [www.irsst.qc.ca](http://www.irsst.qc.ca)

For toxicological analyses, we recommend that you consult our *Guide de surveillance biologique – Stratégie de prélèvement et interprétation des résultats* and Le guide de prélèvement des échantillons biologiques available in hard copy from the IRSST's Communications Division or on the IRSST's Web site.

# POLICY ON THE USE OF THE LABORATORY SERVICES OFFERED BY THE IRSST

## Cost

The cost of the sampling equipment is included in the costs of analysis mentioned on the following pages.

The costs of the analytical services and instrument-related services are in effect as of August 1<sup>st</sup>, 2018.

The cost of the blank analysis is the same than a sample analysis.

## Terms of payment

The client agrees to pay the IRSST for the costs of service within thirty (30) days of receipt of the invoice.

Using the following methods:

- Cheque payable to the IRSST
- Bank transfer: Banking information is on the invoice
- For payments by bank transfer, please email the payment slip to [compte.recevable@irsst.qc.ca](mailto:compte.recevable@irsst.qc.ca)

## Sampling equipment

The client agrees to use only the sampling equipment supplied by the IRSST, according to the *Sampling Guide for Air Contaminants in the Workplace*.

If the equipment ordered is not all used, the unused quantity must be returned to us within 60 days; otherwise it will be billed at market costs.

For toxicological analyses, the client agrees to obtain the sampling equipment himself, according to the *Guide de prélèvement des échantillons biologiques*.

## Samples receipt

Samples received before 4:00 pm at the laboratory will be considered received the same day for the calculation of the analysis delay.

Samples received after 4:00 pm at the laboratory will be considered received the next working day.

## **Calibration certificates**

The calibration certificates issued by the IRSST have a copyright in accordance with the requirements of the accreditation organizations. However, the client is authorized to reproduce all of the calibration certificates (in whole, as stipulated on the certificates) for the instruments that it owns in order to demonstrate, if need be, that they were calibrated according to the IRSST's standards.

## **Purchase order**

- ✓ If a purchase order number must appear on the invoice, the client must enter it on all the IRSST's forms.

## **Subcontracted analysis**

- ✓ For some substances, the IRSST laboratory subcontracts the analyses to other laboratories. If applicable, the client is consulted. A remark will then appear on the IRSST's analysis report, and the subcontractor laboratory's report will be provided. Additional costs of 25% will be billed as well as the costs for the sampling equipment, if applicable.

## **Rapid turnaround**

Any request for rapid turnaround will require a prior agreement with Customer Service.

- ✓ Additional costs of 25% will be billed for any analysis requisition whose results will be provided rapidly, meaning within a maximum of 5 working days following receipt of this requisition at Customer Service.
- ✓ Additional costs of 25% will be billed for any requisition for equipment rental required rapidly, meaning within a maximum of 5 working days following receipt of the requisition of instrument rental at Customer Service.
- ✓ Additional costs of 25% will be billed for any requisition for instrument calibration required rapidly, meaning within a maximum of 5 working days following receipt of the requisition at Customer Service.

## Legal samples

Additional costs of \$75 will be billed for samples where legal proceedings may be possible. The legal samples will be subjected to a chain of custody.

## List of forms to be used

For all analyses, a paper form is required. They can be ordered following the list below:

Inventory no. IRSST	Description
1620	Requisition for environmental analyses
1621	Requisition for legionella analyses – RBQ Cooling Towers
1623	Requisition for toxicological analyses
1624	Requisition for microbiological analyses

To order operating equipment (material), for instrument rental and service, a web service ClicLab is available at:

<https://cliclab.irsst.qc.ca/Login>

For customers who have not yet registered to ClicLab, please contact Laboratory Customer Service at (514) 288-1551, ext. **306**.



## Accreditation

With recognized expertise in occupational health and safety services, the IRSST has several accreditations that guarantee to its partners and clients the quality, integrity and recognition of its work.

### Areas of accreditation and organizations

The Analytical and Calibration Laboratories are accredited by these organizations according to ISO/IEC 17025:2005 standard.

#### **American Industrial Hygiene Association - Laboratory Accreditation Program (AIHA-LAP, LLC)**

- Asbestos
- Metals (including beryllium)
- Microbiology
- Silica
- Solvents
- Ions
- Respirable compressed air (CRA)

Scope of accreditation of analytical laboratories: [http://apps.aiha.org/qms\\_aiha/certificate/101913\\_certificate.pdf](http://apps.aiha.org/qms_aiha/certificate/101913_certificate.pdf)

#### **Calibration Laboratory Assessment Service (CLAS) from National Council Research of Canada (NRC)**

- Acoustical calibration (the only one in Canada)
- Electricity, frequency and time

Scope of accreditation of calibration laboratories:

- CLAS: <http://www.nrc-cnrc.gc.ca/eng/solutions/advisory/clas/certificates/irsst.html>
- SCC (Standard Council of Canada): <https://www.scc.ca/en/search/palcan/irsst> .

#### **Occupational Safety & Health Administration (OSHA)**

- Blood lead (recognition)

## Instrument rental policy

- 1) The client agrees to use the instrument according to the specifications described in the instrument's user manual or in any IRSST document accompanying the instrument. The instrument and its case must be returned to IRSST decontaminated and in good condition.
- 2) The costs of repair, cleaning or replacement made necessary following the use of the instrument are assumed in whole by the client. This includes damage caused during transportation, if applicable.
- 3) The rental costs are calculated by day, week or month (20 working days) and include an initial calibration by the IRSST's laboratories.
- 4) The rented instrument is made available to the client around 4 p.m. on the day before the first day of rental (working day).
- 5) The rented instrument must be returned to the IRSST's laboratories before 12 noon on the day following the final day of rental (working day).
- 6) Any cancellation will result in a penalty equivalent to a one-day rental fee per instrument that will be billed to the client, unless a two days' notice is given prior to the rental period.
- 7) For any instrument and sampling equipment shipments done by the IRSST, the IRSST assumes the transportation and insurance costs.
- 8) For any instrument and sampling equipment shipments done by the client, the latter assumes the transportation and insurance costs.
- 9) All rentals or rental extensions must be arranged with Laboratory Customer Service (514) 288-1551, ext. 306, or by e-mail: [sac.labo@irsst.qc.ca](mailto:sac.labo@irsst.qc.ca).
- 10) Reminder: Additional costs of 25% will be billed for any requisition for equipment rental required rapidly, meaning within a maximum of 5 working days following receipt of the requisition of instrument rental at Customer Service

## COSTS OF ANALYTICAL SERVICES

### Environmental analyses

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
1,1,1-Trichloroethane	2120	Activated charcoal tube, 100/50	\$50	\$20
1,1,1-Trichloroethane	2695	Passive dosimeter	\$65	\$25
1,1,2-Trichloroethane	2120	Activated charcoal tube, 100/50	\$50	\$20
1,2-Dichloroethane	2120	Activated charcoal tube, 100/50	\$50	\$20
1,2-Dichloroethylene	2120	Activated charcoal tube, 100/50	\$50	\$20
1,3-Butadiene	2189	Activated charcoal tube with TBC	\$50	Not applicable
1-Bromopropane	2120	Activated charcoal tube, 100/50	\$50	\$20
1-Methoxy-2-propanol	2120	Activated charcoal tube, 100/50	\$50	\$20
2-Aminoethanol	2170	XAD-2 tube, 7 cm	\$116	Not applicable
2-Butoxyethanol	2120	Activated charcoal tube, 100/50	\$50	\$20
2-Ethoxyethanol	2120	Activated charcoal tube, 100/50	\$50	\$20
2-Methoxyethanol	2120	Activated charcoal tube, 100/50	\$50	\$20
Acenaphthene – Cassette	911	Glass Fiber Filter 37 mm 0.8 µm	\$80	\$15
Acenaphthene – Tube	2187	Orbo 42 L tube	\$80	\$15
Acetaldehyde	2186	Orbo 23 tube	\$123	\$20
Acetic acid	2120	Activated charcoal tube, 100/50	\$116	Not applicable
Acetone	2120	Activated charcoal tube, 100/50	\$50	\$20
Acetone	2695	Passive dosimeter	\$65	\$25
Acrolein	2186	Orbo 23 tube	\$123	\$20

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
Acrylonitrile	2120	Activated charcoal tube, 100/50	\$50	Not applicable
Allyl alcohol	2120	Activated charcoal tube, 100/50	\$50	\$20
Aluminum	905	MCEF 37 mm, 0.8 µm	\$45	\$11
Aluminum	3070	Wipe sample kit for metals (filter media)	\$45	\$11
Aluminum	913	MCEF 37 mm, 0.8 µm pre-weighed	\$45	\$11
Aluminum	915	MCEF 25 mm, 0.8 µm	\$45	\$11
Aluminum	916	MCEF 25 mm, 0.8 µm pre-weighed	\$45	\$11
Aluminum	990	Solu-Sert™ filter 25 mm	\$56	\$11
Aluminum	992	Solu-Sert™ filter 37 mm	\$56	\$11
Aluminum (Inhalable fraction)	928	MCEF 0.8 µm, 25 mm IOM in plastic	\$65	\$21
Aluminum	3090	Wipe sample kit for metals	\$75	See package
Aluminum	100	Miscellaneous	\$45	\$11
Aluminum (sol. salts)	903	PVCF 37 mm, 5 µm	\$45	Not applicable
Alpha-Methyl styrene	2120	Activated charcoal tube, 100/50	\$50	\$20
Ammonia	2144	Treated charcoal tube	\$100	Not applicable
Anthracene – Cassette	911	Glass Fiber Filter 37 mm, 0.8 µm	\$80	\$15
Anthracene – Tube	2187	Orbo 42 L tube	\$80	\$15
Arsenic	990	Solu-Sert™ filter 25 mm	\$56	\$11
Arsenic	992	Solu-Sert™ filter 37 mm	\$56	\$11
Barium, soluble	100	Miscellaneous	\$45	\$11
Barium, soluble	903	PVCF 37 mm, 5 µm	\$45	Not applicable
Benz(a)anthracene – Cassette	911	Glass Fiber Filter 37 mm, 0.8 µm	\$80	\$15

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
Benz(a)anthracene – Tube	2187	Orbo 42 L tube	\$80	\$15
Benzene	2120	Activated charcoal tube, 100/50	\$50	\$20
Benzene	2695	Passive dosimeter	\$65	\$25
Benzo(b+j+k)fluoranthene - Cassette	911	Glass Fiber Filter 37 mm, 0.8 µm	\$80	\$15
Benzo(b+j+k)fluoranthene - Tube	2187	Orbo 42 L tube	\$80	\$15
Benzo(a)pyrene – Cassette	911	Glass Fiber Filter 37 mm, 0.8 µm	\$80	\$15
Benzo(a)pyrene – Tube	2187	Orbo 42 L tube	\$80	\$15
Benzo(e)pyrene – Cassette	911	Glass Fiber Filter 37 mm, 0.8 µm	\$80	\$15
Benzo(e)pyrene – Tube	2187	Orbo 42 L tube	\$80	\$15
Benzyl chloride	2120	Activated charcoal tube, 100/50	\$50	\$20
Beryllium	100	Miscellaneous	\$45	\$11
Beryllium	3090	Wipe sample kit for metals	\$75	Not applicable
Beryllium	905	MCEF 37 mm, 0.8 µm	\$45	Not applicable
Beryllium	3070	Wipe sample kit for metals (filter media)	\$45	Not applicable
Beryllium	913	MCEF 37 mm, 0.8 µm pre-weighed	\$45	Not applicable
Beryllium	915	MCEF 25 mm, 0.8 µm	\$45	Not applicable
Beryllium	916	MCEF 25 mm, 0.8 µm pre-weighed	\$45	Not applicable
Beryllium	990	Solu-Sert™ filter 25 mm	\$56	Not applicable
Beryllium	992	Solu-Sert™ filter 37 mm	\$56	Not applicable
Beryllium (inhalable fraction)	928	MCEF 0.8 µm, 25 mm IOM in plastic	\$65	Not applicable
Butyraldehyde	2186	Orbo 23 tube	\$123	\$20

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
Cadmium	905	MCEF 37 mm, 0.8 µm	\$45	\$11
Cadmium	3070	Wipe sample kit for metals (filter media)	\$45	\$11
Cadmium	913	MCEF 37 mm, 0.8µm pre-weighed	\$45	\$11
Cadmium	915	MCEF 25 mm, 0.8 µm	\$45	\$11
Cadmium	916	MCEF 25 mm, 0.8 µm pre-weighed	\$45	\$11
Cadmium	990	Solu-Sert™ filter 25 mm	\$56	\$11
Cadmium	992	Solu-Sert™ filter 37 mm	\$56	\$11
Cadmium (Inhalable fraction)	928	MCEF 0.8 µm, 25 mm IOM in plastic	\$65	\$21
Cadmium	3090	Wipe sample kit for metals	\$75	See package
Cadmium	100	Miscellaneous	\$45	\$11
Calcium	100	Miscellaneous	\$45	\$11
Calcium	905	MCEF 37 mm, 0.8 µm	\$45	Not applicable
Calcium	3070	Wipe sample kit for metals (filter media)	\$45	Not applicable
Calcium	913	MCEF 37 mm, 0.8 µm pre-weighed	\$45	Not applicable
Calcium	915	MCEF 25 mm, 0.8 µm	\$45	Not applicable
Calcium	916	MCEF 25 mm, 0.8µm pre-weighed	\$45	Not applicable
Camphor (synthetic)	2120	Activated charcoal tube, 100/50	\$50	Not applicable
Carbon dioxide	1905	Air sample bag, 5 litres	\$76	\$76
Carbon monoxide	1905	Air sample bag, 5 Litres	\$76	\$76
Carbon tetrachloride	2695	Passive dosimeter	\$65	\$25
Carbon tetrachloride	2120	Activated charcoal tube, 100/50	\$50	\$20
Chlorodifluoromethane	2121	Activated charcoal tube # 2 226-09	\$50	Not applicable

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
Chloroform	2120	Activated charcoal tube, 100/50	\$50	\$20
Chromium	100	Miscellaneous	\$45	\$11
Chromium	905	MCEF 37 mm, 0.8 µm	\$45	\$11
Chromium	3070	Wipe sample kit for metals (filter media)	\$45	\$11
Chromium	913	MCEF 37 mm, 0.8 µm pre-weighed	\$45	\$11
Chromium	915	MCEF 25 mm, 0.8 µm	\$45	\$11
Chromium	916	MCEF 25 mm, 0.8 µm pre-weighed	\$45	\$11
Chromium	990	Solu-Sert™ filter 25 mm	\$56	\$11
Chromium	992	Solu-Sert™ filter 37 mm	\$56	\$11
Chromium (Inhalable fraction)	928	MCEF 0.8 µm, 25 mm IOM in plastic	\$65	\$21
Chromium	3090	Wipe sample kit for metals	\$75	See package
Chromium VI, water insoluble	976	Quartz filter	\$110	\$35
Chromium VI, water soluble	976	Quartz filter	\$110	\$35
Chromium VI, acid aerosol	977	Pretreated quartz filter	\$145	Not applicable
Chrysene – Cassette	911	Glass Fiber Filter 37 mm, 0.8 µm	\$80	\$15
Chrysene – Tube	2187	Orbo 42 L tube	\$80	\$15
Cobalt	100	Miscellaneous	\$45	\$11
Cobalt	905	MCEF 37 mm, 0.8 µm	\$45	\$11
Cobalt	3070	Wipe sample kit for metals (filter media)	\$45	\$11
Cobalt	913	MCEF 37 mm, 0.8 µm pre-weighed	\$45	\$11
Cobalt	915	MCEF 25 mm, 0.8 µm	\$45	\$11
Cobalt	916	MCEF 25 mm, 0.8 µm pre-weighed	\$45	\$11

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
Cobalt	990	Solu-Sert™ filter 25 mm	\$56	\$11
Cobalt	992	Solu-Sert™ filter 37 mm	\$56	\$11
Cobalt (Inhalable fraction)	928	MCEF 0.8 µm, 25 mm IOM in plastic	\$65	\$21
Cobalt	3090	Wipe sample kit for metals	\$75	See package
Copper	100	Miscellaneous	\$45	\$11
Copper	905	MCEF 37 mm, 0.8 µm	\$45	\$11
Copper	3070	Wipe sample kit for metals (filter media)	\$45	\$11
Copper	913	MCEF 37 mm, 0.8 µm pre-weighed	\$45	\$11
Copper	915	MCEF 25 mm, 0.8 µm	\$45	\$11
Copper	916	MCEF 25 mm, 0.8 µm, pre-weighed	\$45	\$11
Copper	990	Solu-Sert™ filter 25 mm	\$56	\$11
Copper	992	Solu-Sert™ filter 37 mm	\$56	\$11
Copper (Inhalable fraction)	928	MCEF 0.8 µm, 25 mm IOM in plastic	\$65	\$21
Copper	3090	Wipe sample kit for metals	\$75	See package
Cristobalite, cryst. silica	902	PVCF pre-weighed, 37 mm, 5 µm	\$170	\$41
Cristobalite, cryst. silica	997	PVCF 37 mm, 5 µm pre-weighed, 3 parts	\$170	\$41
Cumene	2120	Activated charcoal tube, 100/50	\$50	\$20
Cumene	2695	Passive dosimeter	\$65	\$25
Cyclohexane	2120	Activated charcoal tube, 100/50	\$50	\$20
Cyclohexane	2695	Passive dosimeter	\$65	\$25
Cyclohexanol	2120	Activated charcoal tube, 100/50	\$50	\$20



Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
Cyclohexanone	2127	Chromosorb 106 tube	\$50	Not applicable
Desflurane	2190	Anasorb 747 tube	\$50	\$20
Diacetone alcohol	2120	Activated charcoal tube, 100/50	\$50	N/A
Dibutyl phthalate	912	Cellulose nitrate filter	\$116	\$50
Dicyclopentadiene	2120	Activated charcoal tube, 100/50	\$50	\$20
Diesel particulate matter(as total carbon)	952	Traited quartz fiber filter, 25 mm, 3 parts	100\$	Not applicable
Diesel particulate matter(as total carbon)	953	Traited quartz fiber filter, 37 mm, 3 parts	100\$	Not applicable
Diethyl ether	2120	Activated charcoal tube, 100/50	\$50	\$20
Diethyl phthalate	912	Cellulose nitrate filter	\$116	\$50
Diisobutyl ketone	2120	Activated charcoal tube, 100/50,	\$50	\$20
Dimethylphthalate	912	Cellulose nitrate filter	\$116	\$50
Dioxane	2120	Activated charcoal tube, 100/50	\$50	\$20
Di-sec-octyl phthalate	912	Cellulose nitrate filter	\$116	\$50
Dusts, inhalable	907	PVCF 25 mm, 5 µm IOM stainless steel pre-weighed	\$55	Not applicable
Dusts, respirable	902	PVCF, 37 mm, 5 µm pre-weighed	\$21	Not applicable
Dusts, respirable	997	PVCF 37 mm, 5 µm pre-weighed, 3 parts	\$21	Not applicable
Dusts, respirable	910	PVCF 37 mm, 5 µm pre-weighed Accucap insert	\$40	Not applicable
Dusts, respirable	913	MCEF 37 mm, 0.8 µm pre-weighed	\$21	Not applicable

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
Dusts, respirable	914	PVCF 25 mm, 5 µm pre-weighed	\$21	Not applicable
Dusts, respirable	916	MCEF 25 mm, 0.8 µm pre-weighed	\$21	Not applicable
Dusts, total	902	PVCF 37 mm, 5 µm pre-weighed	\$21	Not applicable
Dusts, total	910	PVCF 37 mm, 5 µm pre-weighed Accucap insert	\$40	Not applicable
Dusts, total	913	MCEF 37 mm, 0.8 µm pre-weighed	\$21	Not applicable
Dusts, total	914	PVCF 25 mm, 5 µm pre-weighed	\$21	Not applicable
Dusts, total	916	MCEF 25 mm, 0.8 µm, pre-weighed	\$21	Not applicable
Dusts, total	997	PVCF 37 mm, 5 µm pre-weighed, 3 parts	\$21	Not applicable
Enflurane	2120	Activated charcoal tube, 100/50	\$50	\$20
Epichlorohydrin	2120	Activated charcoal tube, 100/50	\$50	Not applicable
Ethane	1905	Air sample bag, 5 liters	\$76	\$76
Ethyl acetate	2120	Activated charcoal tube, 100/50	\$50	\$20
Ethyl acetate	2695	Passive dosimeter	\$65	\$25
Ethyl acrylate	2189	Activated charcoal tube with TBC	\$50	\$20
Ethyl alcohol	2120	Activated charcoal tube, 100/50	\$50	\$20
Ethyl alcohol	2695	Passive dosimeter	\$65	\$25
Ethyl benzene	2120	Activated charcoal tube, 100/50	\$50	\$20
Ethyl benzene	2695	Passive dosimeter	\$65	\$25
Ethyl glycol acetate	2120	Activated charcoal tube, 100/50	\$50	\$20
Ethyl glycol acetate	2695	Passive dosimeter	\$65	\$25

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
Fibres by PCM (Phase Contrast Microscopy)	918	MCEF 25 mm, 0.8 µm	\$84	Not applicable
Fibres by PLM (Polarized Light Microscopy)	100	Miscellaneous	\$125	Not applicable
Fluoranthene – Cassette	911	Glass Fiber Filter 37 mm, 0.8 µm	\$80	\$15
Fluoranthene – Tube	2187	Orbo 42 L tube	\$80	\$15
Fluorene – Cassette	911	Glass Fiber Filter 37 mm, 0.8 µm	\$80	\$15
Fluorene – Tube	2187	Orbo 42 L tube	\$80	\$15
Formaldehyde	2186	Orbo 23 tube	\$123	\$20
Formaldehyde	2188	XAD-2 tube,	\$50	\$20
Formaldehyde	6100	Passive dosimeter: form. # UMEX-100	\$116	Not applicable
Furfural	2186	Orbo 23 tube	\$123	\$20
Furfuryl alcohol	2162	Porapak Q tube	\$50	Not applicable
Gasoline	2120	Activated charcoal tube, 100/50	\$50	\$20
Halothane	2120	Activated charcoal tube, 100/50	\$50	\$20
HDI (monomer) – High sensitivity	970	Impregnated GF filter	\$175	\$100
HDI (monomer)	917	Teflon and Glass fibre filters with jar	See package	See package
HDI (oligomers)	917	Teflon and Glass fibre filters with jar	See package	See package
HDI (monomer)	1415	Impinger	See package	See package
HDI (oligomers)	1415	Impinger	See package	See package
HDI (monomer)	981	Impinger with filter for isocyanate	See package	See package
HDI (oligomers)	981	Impinger with filter for isocyanate	See package	See package

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
Heptanal	2186	Orbo 23 tube (20257-U)	\$123	\$20
Hexanal	2186	Orbo 23 tube (20257-U)	\$123	\$20
HMDI (monomer)	917	Teflon and Glass fibre filters with jar	See package	See package
HMDI (monomer) - High sensitivity	970	Impregnated GF filter	\$175	Not applicable
HMDI (oligomers)	917	Teflon and Glass fibre filters with jar	See package	See package
Hydrobromic acid	2147	Silica gel tube	\$100	\$25
Hydrochloric acid	2147	Silica gel tube	\$100	\$25
Indium	905	MCEF 37 mm, 0.8 µm	\$45	Not applicable
Indium	913	MCEF 37 mm, 0.8 µm pre-weighed	\$45	Not applicable
Indium	915	MCEF 25 mm, 0.8 µm	\$45	Not applicable
Indium	916	MCEF 25 mm, 0.8 µm, pre-weighed	\$45	Not applicable
IPDI (monomer)	917	Teflon and Glass fibre filters with jar	See package	See package
IPDI (monomer) – High sensitivity	970	Impregnated GF filter	\$175	\$100
IPDI (oligomer)	917	Teflon and Glass fibre filters with jar	See package	See package
IPDI (monomer)	1415	Impinger	See package	See package
IPDI (oligomers)	1415	Impinger	See package	See package
IPDI (monomer)	981	Impinger with filter for isocyanate	See package	See package
IPDI (oligomers)	981	Impinger with filter for isocyanate	See package	See package
Iron	100	Miscellaneous	\$45	\$11
Iron	905	MCEF 37 mm, 0.8 µm	\$45	\$11
Iron	3070	Wipe sample kit for metals (filter media)	\$45	\$11
Iron	913	MCEF 37 mm, 0.8 µm pre-weighed	\$45	\$11

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
Iron	915	MCEF 25 mm, 0.8 µm	\$45	\$11
Iron	916	MCEF 25 mm, 0.8 µm pre-weighed	\$45	\$11
Iron	990	Solu-Sert™ filter 25 mm	\$56	\$11
Iron	992	Solu-Sert™ filter 37 mm	\$56	\$11
Iron (Inhalable fraction)	928	MCEF 0.8 µm, 25 mm IOM in plastic	\$65	\$21
Iron	3090	Wipe sample kit for metals	\$75	See package
Isoamyl acetate	2120	Activated charcoal tube, 100/50	\$50	\$20
Isobutyl acetate	2120	Activated charcoal tube, 100/50	\$50	\$20
Isobutyl acetate	2695	Passive dosimeter	\$65	\$25
Isobutyl alcohol	2120	Activated charcoal tube, 100/50	\$50	\$20
Isobutyl alcohol	2695	Passive dosimeter	\$65	\$25
Isobutyraldehyde	2186	Orbo 23 tube	\$123	\$20
Isoflurane	2120	Activated charcoal tube, 100/50	\$50	\$20
Isophorone	2120	Activated charcoal tube, 100/50	\$50	\$20
Isopropyl acetate	2120	Activated charcoal tube, 100/50	\$50	\$20
Isopropyl alcohol	2120	Activated charcoal tube, 100/50	\$50	\$20
Isopropyl alcohol	2695	Passive dosimeter	\$65	\$25
Isovaleraldehyde	2186	Orbo 23 tube	\$123	\$20
Kerosene	2120	Activated charcoal tube, 100/50	\$50	\$20
Lead	100	Miscellaneous	\$45	\$11
Lead	3090	Wipe sample kit for metals	\$75	See package
Lead	905	MCEF 37 mm, 0.8 µm	\$45	\$11

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
Lead	3070	Wipe sample kit for metals (filter media)	\$45	\$11
Lead	913	MCEF 37 mm, 0.8 µm pre-weighed	\$45	\$11
Lead	915	MCEF 25 mm, 0.8 µm	\$45	\$11
Lead	916	MCEF 25 mm, 0.8 µm pre-weighed	\$45	\$11
Lead	990	Solu-Sert™ filter 25 mm	\$56	\$11
Lead	992	Solu-Sert™ filter 37 mm	\$56	\$11
Lead (Inhalable fraction)	928	MCEF 0.8 µm, 25 mm IOM in plastic	\$65	\$21
Limonene	2120	Activated charcoal tube, 100/50	\$50	\$20
Magnesium	100	Miscellaneous	\$45	\$11
Magnesium	905	MCEF 37 mm, 0.8 µm	\$45	\$11
Magnesium	3070	Wipe sample kit for metals (filter media)	\$45	\$11
Magnesium	913	MCEF 37 mm, 0.8 µm pre-weighed	\$45	\$11
Magnesium	915	MCEF 25 mm, 0.8 µm	\$45	\$11
Magnesium	916	MCEF 25 mm, 0.8 µm pre-weighed	\$45	\$11
Magnesium	990	Solu-Sert™ filter 25 mm	\$56	\$11
Magnesium	992	Solu-Sert™ filter 37 mm	\$56	\$11
Magnesium (Inhalable fraction)	928	MCEF 0.8 µm, 25 mm IOM in plastic	\$65	\$21
Magnesium	3090	Wipe sample kit for metals	\$75	See package
Manganese	100	Miscellaneous	\$45	\$11
Manganese	905	MCEF 37 mm, 0.8 µm	\$45	\$11
Manganese	3070	Wipe sample kit for metals (filter media)	\$45	\$11
Manganese	913	MCEF 37 mm, 0.8 µm pre-weighed	\$45	\$11

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
Manganese	915	MCEF 25 mm, 0.8 µm	\$45	\$11
Manganese	916	MCEF 25 mm, 0.8 µm pre-weighed	\$45	\$11
Manganese	990	Solu-Sert™ filter 25 mm	\$56	\$11
Manganese	992	Solu-Sert™ filter 37 mm	\$56	\$11
Manganese (Inhalation fraction)	928	MCEF 0.8 µm, 25 mm IOM in plastic	\$65	\$21
Manganese	3090	Wipe sample kit for metals	\$75	See package
MDI (monomer)	917	Teflon and Glass fibre filters with jar	See package	See package
MDI (oligomers)	917	Teflon and Glass fibre filters with jar	See package	See package
MDI (monomer) – High sensitivity	970	Impregnated GF filter	\$175	\$100
MDI (monomer)	1415	Impinger	See package	See package
MDI (oligomers)	1415	Impinger	See package	See package
MDI (monomer)	981	Impinger with filter for isocyanate	See package	See package
MDI (oligomers)	981	Impinger with filter for isocyanate	See package	See package
Methane	1100	Cylinder for RCA	\$76	\$76
Methyl acetate	2120	Activated charcoal tube, 100/50	\$50	\$20
Methyl acetate	2695	Passive dosimeter	\$65	\$25
Methyl acrylate	2189	Activated charcoal tube with TBC	\$50	\$20
Methyl alcohol	2140	Silica gel tube	\$50	Not applicable
Methyl ethyl ketone	2120	Activated charcoal tube, 100/50	\$50	\$20
Methyl ethyl ketone	2190	Anasorb 747 tube	\$50	Not applicable
Methyl ethyl ketone	2695	Passive dosimeter	\$65	\$25
Methyl formate	2121	Activated charcoal tube, 400/200	\$50	Not applicable

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
Methyl glycol acetate	2120	Activated charcoal tube, 100/50	\$50	\$20
Methyl isoamyl ketone	2120	Activated charcoal tube, 100/50	\$50	\$20
Methyl isobutyl ketone	2120	Activated charcoal tube, 100/50,	\$50	\$20
Methyl isobutyl ketone	2695	Passive dosimeter	\$65	\$25
Methyl methacrylate	2185	Anasorb 727 tube	\$65	Not applicable
Methyl n-amyl ketone	2120	Activated charcoal tube, 100/50	\$50	\$20
Methyl propyl ketone	2120	Activated charcoal tube, 100/50	\$50	\$20
Methylcyclohexane	2120	Activated charcoal tube, 100/50	\$50	\$20
Methylcyclohexanol	2120	Activated charcoal tube, 100/50	\$50	\$20
Methylene chloride	2120	Activated charcoal tube, 100/50	\$50	\$20
Methylene chloride	2695	Passive dosimeter	\$65	\$25
Mineral composition (phase identification)	100	Miscellaneous	\$150	Not applicable
N,N-Dimethylformamide	2140	Silica gel tube (226-10)	\$50	Not applicable
n-Amyl acetate	2120	Activated charcoal tube, 100/50	\$50	\$20
n-Amyl acetate	2695	Passive dosimeter	\$65	\$25
Naphtha, VM and P	2120	Activated charcoal tube, 100/50	\$50	\$20
Naphthalene	2120	Activated charcoal tube, 100/50	\$50	Not applicable
n-Butyl acetate	2120	Activated charcoal tube, 100/50	\$50	\$20
n-Butyl alcohol	2120	Activated charcoal tube, 100/50	\$50	\$20
n-Butyl alcohol	2695	Passive dosimeter	\$65	\$25
n-Heptane	2120	Activated charcoal tube, 100/50	\$50	\$20



Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
n-Heptane	2695	Passive dosimeter	\$65	\$25
n-Hexane	2120	Activated charcoal tube, 100/50	\$50	\$20
n-Hexane	2695	Passive dosimeter	\$65	\$25
Nickel	100	Miscellaneous	\$45	\$11
Nickel	905	MCEF 37mm, 0.8 µm	\$45	\$11
Nickel	3070	Wipe sample kit for metals (filter media)	\$45	\$11
Nickel	913	MCEF 37 mm, 0.8 µm pre-weighed	\$45	\$11
Nickel	915	MCEF 25 mm, 0.8 µm	\$45	\$11
Nickel	916	MCEF 25 mm, 0.8 µm pre-weighed	\$45	\$11
Nickel	990	Solu-Sert™ filter 25 mm	\$56	\$11
Nickel	992	Solu-Sert™ filter 37 mm	\$56	\$11
Nickel (Inhalable fraction)	928	MCEF 0.8 µm, 25 mm IOM in plastic	\$65	\$21
Nickel	3090	Wipe sample kit for metals	\$75	See package
Nickel, soluble	903	PVCF 37 mm, 5 µm	\$45	Not applicable
Nitric acid	2147	Silica gel tube	\$100	\$25
N-Nitrosodibutylamine	2210	Florisil tube, 500 mg	\$180	Package only
N-Nitrosodiethylamine	2210	Florisil tube, 500 mg	\$180	Package only
N-Nitrosodimethylamine	2210	Florisil tube, 500 mg	\$180	Package only
N-Nitrosodipropylamine	2210	Florisil tube, 500 mg	\$180	Package only
N-Nitrosomethylethylamine	2210	Florisil tube, 500 mg	\$180	Package only
N-Nitrosomorpholine	2210	Florisil tube, 500 mg	\$180	Package only
N-Nitrosopiperidine	2210	Florisil tube, 500 mg	\$180	Package only

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
N-Nitrosopyrrolidine	2210	Florisil tube, 500 mg	\$180	Package only
Nonane	2120	Activated charcoal tube, 100/50	\$50	\$20
Nonane	2695	Passive dosimeter	\$65	\$25
n-Pentane	2120	Activated charcoal tube, 100/50	\$50	\$20
n-Pentane	2695	Passive dosimeter	\$65	\$25
n-Propyl acetate	2120	Activated charcoal tube, 100/50	\$50	\$20
n-Propyl acetate	2695	Passive dosimeter	\$65	\$25
n-Propyl alcohol	2120	Activated charcoal tube, 100/50	\$50	\$20
n-Propyl alcohol	2695	Passive dosimeter	\$65	\$25
Octane	2120	Activated charcoal tube, 100/50	\$50	\$20
Octane	2695	Passive dosimeter	\$65	\$25
o-Dichlorobenzene	2120	Activated charcoal tube, 100/50	\$50	\$20
Oil mist	960	Teflon B. oil filter	\$130	Not applicable
p-Chlorotrifluoromethylbenzene	2120	Activated charcoal tube, 100/50	\$50	\$20
p-Dichlorobenzene	2120	Activated charcoal tube, 100/50	\$50	\$20
Perchloroethylene	2120	Activated charcoal tube, 100/50	\$50	\$20
Perchloroethylene	2695	Passive dosimeter	\$65	\$25
Phenanthrene – Cassette	911	Glass Fiber Filter 37 mm, 0.8 µm	\$80	\$15
Phenanthrene – Tube	2187	Orbo 42L tube	\$80	\$15
Phenol	1422	Midget impinge with standard nozzle	\$116	Not applicable

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
Phosphoric acid	2147	Silica gel tube	\$100	\$25
Potassium, soluble	903	PVCF 37 mm, 5 µm	\$45	Not applicable
Propionaldehyde	2186	Orbo 23 tube	\$123	\$20
Pyrene – Cassette	911	Glass Fiber Filter 37 mm, 0.8 µm	\$80	\$15
Pyrene – Tube	2187	Orbo 42 L tube	\$80	\$15
Pyridine	2120	Activated charcoal tube, 100/50	\$50	Not applicable
Quantitative analysis of solvents	2120	Activated charcoal tube, 100/50	\$50	\$20
Quartz, crystalline silica	902	PVCF 37 mm, 5 µm pre-weighed	\$170	\$41
Quartz, crystalline silica	997	PVCF 37 mm, 5 µm pre-weighed, 3 parts	\$170	\$41
Respirable combustible dust	951	Silver filter pre weighed	\$60	Not applicable
Rubber solvent	2120	Activated charcoal tube, 100/50	\$50	\$20
sec-Amyl acetate	2120	Activated charcoal tube, 100/50	\$50	\$20
sec-Butyl acetate	2120	Activated charcoal tube, 100/50	\$50	\$20
sec-Butyl acetate	2695	Passive dosimeter	\$65	\$25
sec-Butyl alcohol	2120	Activated charcoal tube, 100/50	\$50	\$20
Sevoflurane	2190	Anasorb 747 tube	\$50	\$20
Silver	100	Miscellaneous	\$45	\$11
Silver	905	MCEF 37 mm, 0.8 µm	\$45	Not applicable
Silver	3070	Wipe sample kit for metals (filter media)	\$45	Not applicable
Silver	913	MCEF 37 mm, 0.8 µm pre-weighed	\$45	Not applicable
Silver	915	MCEF 25 mm, 0.8 µm	\$45	Not applicable

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
Silver	916	MCEF 25 mm, 0.8 µm pre-weighed	\$45	Not applicable
Sodium, soluble	903	PVCF 37 mm, 5 µm	\$45	Not applicable
Soluble fraction in benzene	911	Glass Fiber Filter 37 mm, 0.8µm	\$108	Not applicable
Solvent composition	100	Miscellaneous	\$150	Not applicable
Solvent composition	2120	Activated charcoal tube, 100/50	\$150	Not applicable
Stoddard solvent	2120	Activated charcoal tube, 100/50	\$50	\$20
Styrene (monomer)	2120	Activated charcoal tube, 100/50	\$50	\$20
Styrene (monomer)	2695	Passive dosimeter	\$65	\$25
Sulfuric acid	2147	Silica gel tube	\$100	\$25
TDI-2,4 (monomer)	917	Teflon and Glass fibre filters with jar	See package	See package
TDI-2,4 (oligomers)	917	Teflon and Glass fibre filters with jar	See package	See package
TDI-2,4 (monomer) – High sensitivity	970	Impregnated GF filter	\$175	\$100
TDI-2,4 (monomer)	1415	Impinger	See package	See package
TDI-2,4 (oligomers)	1415	Impinger	See package	See package
TDI-2,4 (monomer)	981	Impinger with filter for isocyanate	See package	See package
TDI-2,4 (oligomers)	981	Impinger with filter for isocyanate	See package	See package
TDI-2,6 (monomer)	917	Teflon and Glass fibre filters with jar	See package	See package
TDI-2,6 (oligomers)	917	Teflon and Glass fibre filters with jar	See package	See package
TDI-2,6 (monomer) – High sensitivity	970	Impregnated GF filter	\$175	\$100

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
TDI-2,6 (monomer)	1415	Impinger	See package	See package
TDI-2,6 (oligomers)	1415	Impinger	See package	See package
TDI-2,6 (monomer)	981	Impinger with filter for isocyanate	See package	See package
TDI-2,6 (oligomers)	981	Impinger with filter for isocyanate	See package	See package
tert-Butyl acetate	2120	Activated charcoal tube, 100/50	\$50	\$20
tert-Butyl alcohol	2120	Activated charcoal tube, 100/50	\$50	\$20
Tetrahydrofuran	2120	Activated charcoal tube, 100/50	\$50	\$20
Thallium	905	MCEF 37 mm, 0.8 µm	\$45	Not applicable
Thallium	913	MCEF 37 mm, 0.8 µm pre-weighed	\$45	Not applicable
Thallium	915	MCEF 25 mm, 0.8 µm	\$45	Not applicable
Thallium	916	MCEF 25 mm, 0.8 µm, pre-weighed	\$45	Not applicable
Toluene	2120	Activated charcoal tube, 100/50	\$50	\$20
Toluene	2695	Passive dosimeter	\$65	\$25
Total organic matter- (asphalt fumes)	937	PTFE filter 1µm 37 mm pre-weighed with Orbo 42L tube	121 \$	Not applicable
Trichloroethylene	2120	Activated charcoal tube, 100/50	\$50	\$20
Trichloroethylene	2695	Passive dosimeter	\$65	\$25
Trichlorotrifluoroethane	2120	Activated charcoal tube, 100/50	\$50	Not applicable
Triglycidyl isocyanurate	910	PVCF 37 mm, pre-weighed Accucap insert, 5 µm	\$135	Not applicable
Trimethyl benzene	2120	Activated charcoal tube, 100/50	\$50	\$20
Trimethyl benzene	2695	Passive dosimeter	\$65	\$25

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
Turpentine	2120	Activated charcoal tube, 100/50	\$50	\$20
Valeraldehyde	2186	Orbo 23 tube	\$123	\$20
Vanadium	100	Miscellaneous	\$45	\$11
Vanadium	905	MCEF 37 mm, 0.8 µm	\$45	\$11
Vanadium	3070	Wipe sample kit for metals (filter media)	\$45	\$11
Vanadium	913	MCEF 37 mm, 0.8 µm pre-weighed	\$45	\$11
Vanadium	915	MCEF 25 mm, 0.8 µm	\$45	\$11
Vanadium	916	MCEF 25 mm, 0.8 µm pre-weighed	\$45	\$11
Vanadium	990	Solu-Sert™ filter 25 mm	\$56	\$11
Vanadium	992	Solu-Sert™ filter 37 mm	\$56	\$11
Vanadium (Inhalable fraction)	928	MCEF 0.8 µm, 25 mm IOM in plastic	\$65	\$21
Vanadium	3090	Wipe sample kit for metals	\$75	See package
Vinyl acetate	2195	Orbo 92 tube	\$50	Not applicable
Vinyl chloride (monomer)	2120	Activated charcoal tube, 100/50	\$50	Not applicable
Xylenes (o, m, p isomers)	2120	Activated charcoal tube, 100/50	\$50	\$20
Xylenes (o, m, p isomers)	2695	Passive dosimeter	\$65	\$25
Yttrium	905	MCEF 37 mm, 0.8 µm	\$45	Not applicable
Yttrium	913	MCEF 37 mm, 0.8 µm pre-weighed	\$45	Not applicable
Yttrium	915	MCEF 25 mm, 0.8 µm	\$45	Not applicable
Yttrium	916	MCEF 25 mm, 0.8 µm, pre-weighed	\$45	Not applicable
Zinc	100	Miscellaneous	\$45	\$11
Zinc	905	MCEF 37 mm, 0.8 µm	\$45	\$11

Substances	Equipment	Description of equipment	Cost for substance # 1	Cost for other substances
Zinc	3070	Wipe sample kit for metals (filter media)	\$45	\$11
Zinc	913	MCEF 37 mm, 0.8 µm pre-weighed	\$45	\$11
Zinc	915	MCEF 25 mm, 0.8 µm	\$45	\$11
Zinc	916	MCEF 25 mm, 0.8 µm pre-weighed	\$45	\$11
Zinc	990	Solu-Sert™ filter 25 mm	\$56	\$11
Zinc	992	Solu-Sert™ filter 37 mm	\$56	\$11
Zinc (Inhalable fraction)	928	MCEF 0.8 µm, 25 mm IOM in plastic	\$65	\$21

## Toxicological analyses

Analyses	Cost
Acetone, urinary	\$65
Cadmium, urinary by ICP-MS	\$50
Carboxyhemoglobin	\$16
Chromium, urinary by ICP-MS	\$50
Cobalt, urinary by ICP-MS	\$50
Fluorine, urinary	\$50
Hemoglobin, total	\$16
Lead, blood	\$31
Mandelic acid	\$125
Mercury, blood	\$31
Mercury, urinary	\$50
Methanol, urinary	\$65
Methyl ethyl ketone, urinary	\$65
Methyl isobutyl ketone, urinary	\$65
Methylhippuric acid	\$125
Nickel, urinary by ICP-MS	\$50
o-Cresol, urinary	\$65
Phenylglyoxylic acid	\$125
S-Phenylmercapturic, urinary	\$125
<b>Urinary density and creatinine included in the cost of the analysis</b>	



## Microbiological analyses

Analyses	Basic cost	*Additional cost	Cost by genus	Cost by species
Bacterial count	\$100	\$60	n/a	n/a
Bacterial identification **	\$100	\$60	\$17	\$46
Endotoxin	\$205	n/a	n/a	n/a
Gram negative count	\$100	\$60	n/a	n/a
Gram negative identification **	\$100	\$60	\$17	\$46
Identification and enumeration of Legionella pneumophila and Legionella sp **	\$240	n/a	\$17	\$46
Identification and enumeration of Legionella pneumophila and Legionella sp - RBQ Cooling Towers **	\$240	n/a	\$17	\$46
Mycological count	\$100	\$60	n/a	n/a
Mycological identification **	\$100	\$60	\$17	\$46
Mycological structure (sponge and process)	\$86	n/a	n/a	n/a
Mycological structure on slides	\$60	n/a	n/a	n/a
Spore characterization (Positrack)	\$80	n/a	n/a	n/a

Notes: \*Additional cost for sampling on cassette, for liquid or solid process samples, and for water samples. No additional cost for air samples with a petri.

\*\* The identification includes the counts for quantitative samples (air or liquid process).

## PACKAGES

12 metals by ICP-MS for cassettes or process sample \$125
<ul style="list-style-type: none"> <li>• Aluminium</li> <li>• Cadmium</li> <li>• Chromium</li> <li>• Cobalt</li> <li>• Copper</li> <li>• Iron</li> <li>• Lead</li> <li>• Magnesium</li> <li>• Manganese</li> <li>• Nickel</li> <li>• Vanadium</li> <li>• Zinc</li> </ul>

11 metals by ICP-MS – Wipe-3090 \$150
<ul style="list-style-type: none"> <li>• Aluminum</li> <li>• Cadmium</li> <li>• Chromium</li> <li>• Cobalt</li> <li>• Copper</li> <li>• Iron</li> <li>• Lead</li> <li>• Magnesium</li> <li>• Manganese</li> <li>• Nickel</li> <li>• Vanadium</li> </ul>

13 metals by ICP-MS for Solu-Sert™ cassette 990 et 992 140 \$
<ul style="list-style-type: none"> <li>• Aluminium</li> <li>• Arsenic</li> <li>• Cadmium</li> <li>• Chrome</li> <li>• Cobalt</li> <li>• Cuivre</li> <li>• Fer</li> <li>• Magnésium</li> <li>• Manganèse</li> <li>• Nickel</li> <li>• Plomb</li> <li>• Vanadium</li> <li>• Zinc</li> </ul>

11 PAHs (particulates) by GC-MS cassette 911 \$150
<ul style="list-style-type: none"> <li>• Acenaphthene</li> <li>• Anthracene</li> <li>• Benz(a)anthracene</li> <li>• Benzo(b+j+k)fluoranthene</li> <li>• Benzo(a)pyrene</li> <li>• Benzo(e)pyrene</li> <li>• Chrysene</li> <li>• Fluoranthene</li> <li>• Fluorene</li> <li>• Phenanthrene</li> <li>• Pyrene</li> </ul>

11 HAP (vapours) by GC-MS tube 2187 \$150
<ul style="list-style-type: none"> <li>• Acenaphthene</li> <li>• Anthracene</li> <li>• Benz(a)anthracene</li> <li>• Benzo(b+j+k)fluoranthene</li> <li>• Benzo(a)pyrene</li> <li>• Benzo(e)pyrene</li> <li>• Chrysene</li> <li>• Fluoranthene</li> <li>• Fluorene</li> <li>• Phenanthrene</li> <li>• Pyrene</li> </ul>

11 aldéhydes par GC-MS –tube 2186 250 \$
<ul style="list-style-type: none"> <li>• Acétaldéhyde</li> <li>• Acroléine</li> <li>• Butyraldéhyde</li> <li>• Furfural</li> <li>• Formaldéhyde</li> <li>• Heptanal</li> <li>• Hexanal</li> <li>• Isobutyraldéhyde</li> <li>• Isovaléraldéhyde</li> <li>• Propionaldéhyde</li> <li>• Valéraldéhyde</li> </ul>

**8 Nitrosamines by GC-NPD  
tube 2210**

**\$180**

- N-Nitrosodibutylamine
- N-Nitrosodiethylamine
- N-Nitrosodimethylamine
- N-Nitrosodipropylamine
- N-Nitrosomethylethylamine
- N-Nitrosomorpholine
- N-Nitrosopiperidine
- N-Nitrosopyrrolidine

## PACKAGES (cont.)

Quantitative composition of 37 solvents by GC-MS on tube 2120	
\$300	
• n- Amyl acetate	• Methylcyclohexane
• Acetone	• Methylene chloride
• Benzene	• n-Butyl acetate
• Chloroform	• n-Butyl alcohol
• Cumene	• n-Heptane
• Cyclohexane	• n-Hexane
• Diethyl ether	• Nonane
• Ethyl acetate	• n-Pentane
• Ethyl alcohol	• n-Propyl acetate
• Ethylbenzene	• Octane
• Isobutyl acetate	• Perchloroethylene
• Isobutyl alcohol	• sec-Butyl acetate
• Isopropyl acetate	• Styrene
• Isopropyl alcohol	• Tetrahydrofuran
• Methyl acetate	• Toluene
• Methyl ethyl ketone	• Trichloroethylene
• Methyl isobutyl ketone	• Trimethylbenzenes
• Methyl n-amyl ketone	• Xylenes
• Methyl propyl ketone	

## PACKAGES (cont.)

<b>Respirable compressed air (CRA)</b>
<b>\$360</b>
The portable device for sampling and analyzing compressed breathing air was designed by IRSST in reference of the standard CAN/CSA-Z180.1-00. This device allows the determination of the quality of the breathing air and compressed breathing air generated by systems such as supplied-air respirators, supplied-air suits, self-contained breathing apparatus (SCBA) (open-circuit) and other systems, as long as they generate a pressure equal or above 10 lbf/in <sup>2</sup> (10 psi).

<b>Isocyanates monomer et oligomers cassette 981 and impinger 1415 2 results : total monomer and oligomers</b>
<b>\$190 for the first isocyanate and \$50 for the other</b>
• 2,4-TDI
• 2,6-TDI
• HDI
• IPDI
• MDI

## PACKAGES

<b>Isocyanates monomer only cassette 917 3 results :vapor monomer , aerosol monomer and total monomer</b>
<b>\$160 for the first isocyanate and \$50 for the other</b>
• 2,4-TDI
• 2,6-TDI
• HDI
• HMDI
• IPDI
• MDI

<b>Isocyanates monomer et oligomers cassette 917 4 results : vapor monomer, aerosol monomer, total monomer and oligomers</b>
<b>\$190 for the first isocyanate and \$50 for the other</b>
• 2,4-TDI
• 2,6-TDI
• HDI
• HMDI
• IPDI
• MDI

# LIST OF WIPE SAMPLE KITS AVAILABLE TO ORDER

IRSST Inventory #	Description of the kit	Cost/kit
2625	Wipe sample kit – Chromium VI	\$50
3020	Wipe sample kit – Cyanides	\$50
3050	Wipe sample kit – Aliphatics Isocyanates (HDI)	\$71
3060	Wipe sample kit – Aromatics Isocyanates (MDI et TDI)	\$71

## INSTRUMENT CALIBRATION COSTS

For Acoustics, Electromagnetism and Flow meters, if a deviation from the manufacturer's method is required, authorization from the client is required before proceeding to the calibration of the instrument.

### Acoustics

Sound calibrator – See models below	
Calibration of Sound Calibrator -250hz 114dB in conformance to CEI-60942 : 2003	\$138*
Calibration of Sound Calibrator -1000hz 94dB in conformance to CEI-60942 : 2003	\$138*
Calibration of Sound Calibrator -1000hz 114dB in conformance to CEI-60942 : 2003	\$138*
All makes of sound calibrators specified must comply with the following standards	
IEC 60942: 2003-01	
IEC 60942: 1997-11	
IEC 942: 1988	
To be calibrated, the sound calibrator must allow the calibration of 1 inch or ½ inch diameter microphones.	
<i>Calibration of sound level, frequency and percentage of total distortion of the acoustic signal generated according to IEC 60942: 2003-01, Third edition "Electroacoustics – Sound calibrators – Annex B – Periodic tests."</i>	
* For sound calibrators consisting of more than one level, each one constitutes a calibration. If the level is not specified, two levels will be calibrated.	
Models:	
Brüel & Kjaer 4230 and 4231	
Larson Davis CAL150,CAL200 and CAL250	
Quest QC-10	

For a sound calibrator model that is not included in this list, please contact Customer Service [sac.labo@irsst.qc.ca](mailto:sac.labo@irsst.qc.ca) to obtain confirmation regarding its possible calibration by the Acoustical Laboratory.

## Acoustics (cont.)

<b>Noise dosimeter or sound level meter, integrating-averaging sound level meter, sound-level meter – frequency analyzer and microphone alone – All makes</b>	
Acoustical calibration of noise dosimeter	<b>\$230</b>
Acoustical calibration of sound level meter (See Appendix 1)	<b>\$230</b>
Free field acoustical calibration of the A weighting of the instrument compared to the tolerances of standard IEC 61672-1: 2002-05, First edition, “Electroacoustics – Sound level meters – Part 1: Specifications.”	
Acoustical calibration of the frequency weighting is done according to the instructions for tests in sections 9.4.2.2 to 9.4.2.5 of standard IEC 61672-2: 2003-04, First edition, “Electroacoustics - Sound level meters – Part 2: Pattern evaluation tests.”	

<b>Sound level meter, integrating-averaging sound level meter, sound level meter - frequency analyzer – See models below</b>	
Calibration of sound level meter- acoustical and electrical -1 level in conformance to 61672-3 : 2006-10 (See Appendix 1)	<b>\$552</b>
Acoustical and electrical calibration of the instrument according to standard IEC 61672-3: 2006-10, First edition, “Electroacoustics – Sound level meters – Part 3: Periodic tests.”	
This calibration is available only for noise measuring instruments reported by the manufacturer as complying with standard IEC 61672-1: 2002-05, First edition, “Electroacoustics - Sound level meters – Part 1: Specifications.”	

<b>Models:</b>
Brüel & Kjaer 2240 and 2250
Larson Davis LXT1, 831



## Acoustics (cont.)

<b>Integrating-averaging sound level meter, Brüel and Kjaer model 2240 only</b>	
Calibration of sound level meter- acoustical and electrical -2 levels in conformance to 61672-3 : 2006-10	<b>\$736</b>
Same calibrations as calibration of sound level meter- acoustical and electrical – 1 level (the range from 60-140 dB), with the addition of the electrical tests performed over the range from 30-110 dB	

## Lighting

<b>Luxmeter – See models below</b>	
5-point linearity calibration	<b>\$276</b>

<b>Models:</b>
Cal-Light 400
Haghnor E2 and EC-1
Topcon IM-2D

## Electromagnetism

<b>Multimeter,– Models: Fluke 12, Fluke 73, Fluke 111, Fluke 112, Fluke 115 and Fluke 117</b>	
Calibration <b><u>without</u></b> correction in accordance to ILAC G8 (2009) following the same range of measurements as the manufacturer.	<b>\$92</b>
Calibration <b><u>with</u></b> corrections in accordance to ILAC G8 (2009) following the same range of measurements as the manufacturer. The values before and after calibration are supplied.	<b>\$230</b>

<b>Multimeter,– Model: Fluke 87</b>	
Calibration <b><u>without</u></b> correction in accordance to ILAC G8 (2009) following the same range of measurements as the manufacturer.	<b>\$138</b>
Calibration <b><u>with</u></b> corrections in accordance to ILAC G8 (2009) following the same range of measurements as the manufacturer. The values before and after calibration are supplied.	<b>\$322</b>

## Electromagnetism (cont.)

<b>Multimeter,– Models: HP 3478A and Agilent 34401A</b>	
Calibration <b><u>without</u></b> correction on the front or rear terminal in accordance to ILAC G8 (2009) following the same range of measurements as the manufacturer.	<b>\$276</b>
Calibration <b><u>without</u></b> correction on the front and rear terminals in accordance to ILAC G8 (2009) following the same range of measurements as the manufacturer.	<b>\$598</b>
Calibration <b><u>with</u></b> corrections on the front or rear in accordance to ILAC G8 (2009) following the same range of measurements as the manufacturer. The values before and after calibration are supplied.	<b>\$644</b>
Calibration <b><u>with</u></b> corrections on the front and rear terminals in accordance to ILAC G8 (2009) following the same range of measurements as the manufacturer. The values before and after calibration are supplied.	<b>\$1288</b>

## Chemical measurements

<b>CO<sub>2</sub> analyzer – Models: MultiRAE IR and GasAlertMicro5 IR from BW</b>	
Calibration of CO <sub>2</sub> analyzer- 3 points calibration according to the measurement scale	<b>\$184</b>
<b>Mercury analyzer – Model: Jerome 405</b>	
Calibration <u>without</u> correction with suspension of mercury vapours at room temperature	<b>\$184</b>
<b>Personal detector for CO, NO, NO<sub>2</sub>, SO<sub>2</sub>, NH<sub>3</sub> and H<sub>2</sub>S – Models: PAC 7000</b>	
Calibration of personal detector- 3-points calibration according to the measurement scale	<b>\$184</b>
<b>4-Gas detector (explosivity, oxygen, CO, H<sub>2</sub>S) – Models: MultiRAE Plus and X-am 2000, X-am 2500 and X-am 5000 from Dräger</b>	
Calibration of 4-Gas detector – 2 points calibration of the oxygen sensor, 3 points for the other sensors	<b>\$184</b>

**Chemical measurements (cont.)**

<b>Photoionizer – Models MultiRAE Plus, MiniRAE 3000 and ToxiRAE PROPID</b>	
Calibration of photionizer – 2 points calibration with reference to isobutylene	<b>\$184</b>

<b>Indoor air quality analyzer – Models: Q-Trak 8554 from TSI, Fluke 975</b>	
3-point calibration of CO and CO <sub>2</sub> sensors	<b>\$184</b>
Calibration of temperature sensors – 9 points calibration	<b>\$138</b>
Calibration of relative humidity sensors- 9 points calibration	<b>\$138</b>

## Thermohygrometry

<b>WBGT heat stress monitor <u>with</u> datalogger module</b>	
Calibration of WBGT TEMP at 9 points	<b>\$230</b>
<b>Models:</b>	
QuestTemp 34	
RSS-214 DL	

<b>WBGT heat stress monitor <u>with</u> datalogger module</b>	
Calibration of WBGT HUM at 9 points	<b>\$138</b>
<b>Model:</b>	
QuestTemp 34	

<b>WBGT heat stress monitor <u>without</u> datalogger module</b>	
Calibration of WBGT TEMP at 3 points	<b>\$368</b>
<b>Model:</b>	
RSS-214	

### Thermohygrometry (cont.)

<b>Dry bulb temperature measuring instrument <u>without</u> datalogger module</b>	
Calibration of thermo hydrometer – temperature at 3 points	<b>\$184</b>
<b>Models:</b>	
HM 34	
HM 40	

<b>Relative humidity measuring instrument <u>without</u> datalogger module</b>	
Calibration of thermo hydrometer – humidity at 2 or 3 points	<b>\$184</b>
<b>Models:</b>	
HM 34	
HM 40	

<b>IR Infrared digital thermometer (without contact) <u>without</u> datalogger module – All makes</b>	
4-point calibration between 35 and 500°C	<b>\$184</b>

## Ventilation

<b>Anemometer – Models: 8384A and 9535</b>	
15-point calibration	<b>\$368</b>
<b>Flow meter – Gilibrator, BIOS Defender and DC-Lite</b>	
5-pt calibration for low- flow meters: Calibration in conformance to ILAC G8 (2009) except if the result is undetermined = failed, which represents a risk level lower than ILAC G8 (2009).	<b>\$92</b>
5-pt calibration for high- flow meters: Calibration in conformance to ILAC G8 (2009) except if the result is undetermined = failed, which represents a risk level lower than ILAC G8 (2009).	<b>\$184</b>
5-pt calibration for very high- flow meters: Calibration in conformance to ILAC G8 (2009) except if the result is undetermined = failed, which represents a risk level lower than ILAC G8 (2009).	<b>\$92</b>



## Pumps

<b>High flow pump – Models: Gilian Gil Air, SKC PCXR and Aircheck Touch</b>	
Verification and adjustment	<b>\$138</b>
<b>Low flow pump – Model Gilian LFS-113</b>	
Verification and adjustment	<b>\$138</b>
<b>Charger</b>	
Verification	<b>\$92</b>
<b>5-Station charger</b>	
Verification	<b>\$92</b>
<b>Manual pump – Make Draeger and Gastec</b>	
Verification and adjustment	<b>\$92</b>

## INSTRUMENT RENTAL COSTS

<b>Acoustics</b>				
Description	Type	Rental 1 day	Rental 5 working days	Rental 1 calendar month
Sound level calibrator (94 and 114 dB)	BK 4231	\$50	\$120	\$250
Noise dosimeter	Spark 706	\$100	\$250	\$500
Mast style microphone	MPR002 for Spark 706	\$50	\$120	\$250
Portable computer and software	CTL-PRÉTLABO for Spark 706	\$90	\$180	\$350
Analyzing sound level meter (1/3 and 1/1 octave)	LD831	\$250	\$550	\$1000
Integrating sound level meter	BK 2240	\$175	\$300	\$550
<b>Physics measurement</b>				
Description	Type	Rental 1 day	Rental 5 working days	Rental 1 calendar month
Heat stress (WBGT)	Questemp°34	\$150	\$300	\$600
Dynamometer (Push/Pull)	Chatillon DFS2-100	\$50	\$120	\$250
Dynamometer (Torsion)	Chatillon DFS2-R-ND	\$50	\$120	\$250
Luxmeter	Hagner E2	\$100	\$250	\$500
Thermohygrometer	HM34C or HM 40	\$90	\$180	\$350
Personal Sensor Set (with hardhat)	For RSS-214DL	\$50	\$120	\$250
Weatherproof Remote Sensor Assembly Cable	For RSS-214DL	\$50	\$120	\$250

<b>Gas analyzers</b>				
Description	Type	Rental 1 day	Rental 5 working days	Rental 1 calendar month
4-gas detector explosivity meter	X-am 2000	\$150	\$300	\$600
CO-LC personal detector	PAC 7000	\$100	\$250	\$500
DRI – Indoor air quality	Fluke 975	\$150	\$300	\$600
Formaldehyde detector	Formaldemeter htv-m	\$100	\$250	\$500
Mercury analyzer	Jerome 405	\$150	\$300	\$600
NO2 personal detector	PAC 7000	\$100	\$250	\$500
Ozone personal detector	GasAlert Extreme	\$150	\$300	\$600
Personal photoionization detector	ToxiRae PRO PID	\$150	\$300	\$600

<b>Pumps and flow meters</b>				
Description	Type	Rental 1 day	Rental 5 working days	Rental 1 calendar month
5-station charger	Various models	Included in a pump rental		
Charger		Included in pumps rental		
Elutriator and flow meter	Vertical	\$120	\$300	\$500
Flow meter	Defender	\$70	\$150	\$350
Flow meter	Allegro 9900-40	\$90	\$180	\$350
Gastec pump	Gastec	\$50	\$120	\$250
High flow pump	Gil Air	\$70	\$150	\$350
High flow pump	SKC PCXR	\$70	\$150	\$350
Impactor	Andersen	\$90	\$180	\$350
Low flow pump	LFS 113	\$70	\$150	\$350
Very high flow pump (for spores)	Leland Legacy	\$70	\$150	\$350
Very high flow pump (30 L/min)	Aircon	\$150	\$300	\$600

<b>Air quality</b>				
Description	Type	Rental 1 day	Rental 5 working days	Rental 1 calendar month
Anemometer	TSI 8384A-M-GB	\$90	\$180	\$350
DRI – for aerosols	Dust Trak II 8530	\$120	\$300	\$500
Endoscope + lamp	080-024-090-55	\$120	\$300	\$500
Moisture meter (penetration)	Surveymaster SM	\$70	\$150	\$350

<b>Electromagnetism</b>				
Description	Type	Rental 1 day	Rental 5 working days	Rental 1 calendar month
Triaxial Fieldmeter (E) 500 kHz - 6 GHz	Holaday HI-3001	\$70	\$150	\$350
Static Triaxial Fieldmeter (B)	THM-7025	\$70	\$150	\$350
Detector/Dosimeter (S) 10 MHz-100GHz <sup>(1)</sup>	Nardalert D8861/8865	\$70	\$150	\$350
Induced Curent Meter	Narda 8850	\$70	\$150	\$350
Ion Meter Kit	Simco 4007273	\$70	\$150	\$350
Contact Curent Meter	Narda 8870	\$70	\$150	\$350
Laser Distance Meter	Leica Disto A5	\$70	\$150	\$350
Radiometer UV-A, UV-BC et Bleu	Gigahertz-optik X1-3	\$100	\$250	\$500
Triaxial Teslameter (B, O, P) 5 Hz to 32 kHz	Narda EFA-200	\$100	\$250	\$500
Triaxial Teslameter/Dosimeter (B) @ 60 Hz	Dexsil Field Star 4 000	\$100	\$250	\$500
Distance Measuring Wheel for Mapping <sup>(2)</sup>	RM 4 000	\$70	\$150	\$350
Triaxial Teslameter (B, O, P) 1 Hz to 400 kHz	Narda ELT-400	\$100	\$250	\$500

## Notes

E : Electric Field (V/m) H : Magnetic Field (A/m) B : Magnetic Density (Tesla) S : Power Density (mW/cm<sup>2</sup>)

O : Percentage of the ICNIRP(1998) Occupational Recommendation

P : Percentage of the ICNIRP(1998) Public Recommendation

(1) A computer is required to read the data. The instrument is autonomous for data gathering but has to be configured using a computer.

(2) The distance measuring wheel is used with the Dexsil FieldStar 4 000 and with a software included in the carrying case of the instrument

(3) A BNC output on the instrument facilitates the connection to an oscilloscope to determine the field frequency.

## Respirable compressed air

Description		Preparation costs	Rental 5 working days	Rental 1 calendar month
RCA case	Costs of analysis not included	\$70	n/a	n/a

## Cyclones

Description	Type	Rental 1 day	Rental 5 working days	Rental 1 calendar month
Cyclone	GS-3	\$25	\$60	\$120
Cyclone, nylon	York- Dorr Oliver	\$25	\$60	\$120
Jar for cyclone calibration	IP7013376	\$25	\$60	\$120

## APPENDIX I

The laboratory offers two types of acoustical calibration for sound level meters:

<b>Sound level meter, integrating-averaging sound level meter, sound level meter - frequency analyzer and microphone alone – All makes</b>
Calibration sound level meter acoustical
✓ Simple acoustical calibration that verifies the instantaneous response of a noise measuring instrument for 39 sound levels and frequencies between 125 Hz and 20 000 Hz.
✓ Identification of a problem with the microphone, or minimally, with the Rms value (Fast or Slow) measuring circuit or with the frequency weighting circuit used.
✓ Available for all noise measuring instruments, independent of the manufacturer's specifications or the instrument standards stipulated for the noise measuring instrument.
✓ Inappropriate if there is a need for demonstrating, beyond reasonable doubt, the compliance of the measuring instrument with instrument standard IEC 61672-1 (2002-05). In legal metrology, this demonstration is now commonly required (e.g., calls for tender for measuring the noise generated by wind turbines, etc.). Note also that all CSA International Canadian standards in acoustics now stipulate the use of a noise measuring instrument that has been demonstrated compliant with the requirements of IEC 61672-1 (2002-05).

### Sound level meter, integrating-averaging sound level meter, sound level meter - frequency analyzer

Acoustical and electrical calibration- 1 level for sound level meter

- ✓ Available since the publication of IEC 61672-3 (2006-10) "Periodic tests" and applies only to noise measuring instruments that are certified compliant with IEC 61672-1 (2002-05).
- ✓ Includes acoustical calibration (see above) as well as all the electrical tests periodically recommended by IEC 61672-3 (2006-10) for a noise measuring instrument.
- ✓ The electrical tests stipulated by IEC 61672-3 (2006-10) allow minimum verification of all the measuring characteristics of a noise measuring instrument:
  - Time and frequency weightings;
  - Linear operating range;
  - Self-generated electrical and acoustical noise;
  - Precision of the peak detector;
  - Precision of the exposure level calculations, the response of the noise measuring instrument to signals of different polarities;
  - The initiation level for the overload detection circuit.
- ✓ Required in legal metrology, because the Calibration Laboratory can, following this calibration, issue a declaration on the compliance of the noise measuring instrument with the complete requirements of IEC 61672-1 (2002-05).



## RESOURCES

Mr. Martin Beuparlant, M.Sc. Chemist  
Director  
Laboratory Division:

For all requests related to instruments, sampling equipment and billing, please contact Laboratory Customer Service at (514) 288 1551, ext. **306** or by e-mail: [sac.labo@irsst.qc.ca](mailto:sac.labo@irsst.qc.ca)

For all technical information regarding analyses, please contact Laboratory Customer Service at (514) 288-1551, ext. **315** or by e-mail: [sac.labo@irsst.qc.ca](mailto:sac.labo@irsst.qc.ca)